

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|---|------------------|---------|------------------|
| L1 | 3 | kernel with file and header with file and queue and (lock\$4 and unlock\$4) with header | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/01/18 08:03 |
| L2 | 18 | header near file and queue and (lock\$4 and unlock\$4) same header | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/01/18 08:03 |
| L3 | 5 | L2 not L1 and retriev\$4 and process\$4 and stor\$4 same inde\$4 and tim\$4 with queue | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/01/18 08:05 |
| L4 | 1 | "6718327".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/01/18 08:05 |
| L5 | 15840 | file with header | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/01/18 08:11 |
| L6 | 284 | header with (count\$4 total\$4 sum\$4 number) with (empty available free) with (slot location entry field) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/01/18 08:11 |
| L7 | 1076 | header with (count\$4 total\$4 sum\$4 number) with (fill\$4 process\$4 examin\$4) with (slot location entry field) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/01/18 08:11 |
| L8 | 166 | header with offset with (fill\$4 process\$4 examin\$4) with (slot location entry field) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/01/18 08:11 |
| L9 | 59 | header with offset with (empty free available) with (slot location entry field) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/01/18 08:11 |
| L10 | 409 | header with queue with priority | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/01/18 08:11 |
| L11 | 1 | (L5 and L6 and L7 and L8 and L9 and L10) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/01/18 08:11 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|----|------------------|
| L14 | 1 | (L5 and L6 and L7 and L8 and L9 and L10) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/01/18 08:20 |
| L15 | 9 | kernel with file with header and (count\$4 total\$4 number) with ((empty free available) and (slot field) and total) and offset | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/01/18 08:20 |
| L16 | 2 | kernel with file with header and header with (count\$4 total\$4 number) with ((empty free available) and (slot field) and total) and offset | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/01/18 08:20 |
| L17 | 7 | L15 not L16 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/01/18.08:21 |
| L18 | 2 | paul near2 edmonds.in. and kernel and lock\$4.clm. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/01/18 08:21 |
| L19 | 2 | message with queue and ((empty free available) and unread and (pend\$4 process\$4)) with (slot) and queue with (architecture requirement function\$4 mechanism) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/01/18 08:21 |
| L20 | 2 | L18 L19 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/01/18 08:23 |
| L21 | 5 | L2 not L1 and retriev\$4 and process\$4 and stor\$4 same inde\$4 and tim\$4 with queue | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/01/18 08:22 |
| L22 | 13 | "707"/\$.ccls. and kernel near file and header and lock\$4 and queue | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/01/18 08:22 |
| L23 | 15 | "709"/\$.ccls. and kernel near file and header and lock\$4 and queue | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/01/18 08:22 |
| L24 | 26 | L22 L23 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/01/18 08:22 |
| L25 | 49 | paul near3 edmonds.in. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/01/18 08:22 |

EAST Search History

| | | | | | | |
|-----|---|---|---|----|----|------------------|
| L26 | 1 | file with header and header same (count\$4 total\$4 number) with ((empty free available) and (slot field) and total and offset and (queue with priority)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/01/18 08:24 |
|-----|---|---|---|----|----|------------------|